



LVB 100

Cable ladder vertical bend, height=100 mm

Cable ladder vertical bend for flexible vertical change of direction.
Riveted rungs.

This article is available made in material No. 1.4571/1.4404 (V4A) stainless steel finish.

Continuously hot galvanized (Sendzimir process) (DIN EN 10346)

Product	H	B	L	G
LVB 100-10S	100 mm	100 mm	350 mm	4,74 kg
LVB 100-20S	100 mm	200 mm	350 mm	4,91 kg
LVB 100-30S	100 mm	300 mm	350 mm	5,09 kg
LVB 100-40S	100 mm	400 mm	350 mm	5,27 kg
LVB 100-50S	100 mm	500 mm	350 mm	5,44 kg
LVB 100-60S	100 mm	600 mm	350 mm	5,62 kg

Hot-dip galvanized, according to BS 729 (DIN EN ISO 1461)

Product	H	B	L	G
LVB 100-10F	100 mm	100 mm	350 mm	5,05 kg
LVB 100-20F	100 mm	200 mm	350 mm	5,24 kg
LVB 100-30F	100 mm	300 mm	350 mm	5,44 kg
LVB 100-40F	100 mm	400 mm	350 mm	5,64 kg
LVB 100-50F	100 mm	500 mm	350 mm	5,84 kg
LVB 100-60F	100 mm	600 mm	350 mm	6,03 kg





Stainless steel, according to ASTM 304 / BS 304 S 3

Product	H	B	L	G
LVB 100-10E	100 mm	100 mm	350 mm	4,74 kg
LVB 100-20E	100 mm	200 mm	350 mm	4,91 kg
LVB 100-30E	100 mm	300 mm	350 mm	5,09 kg
LVB 100-40E	100 mm	400 mm	350 mm	5,27 kg
LVB 100-50E	100 mm	500 mm	350 mm	5,44 kg
LVB 100-60E	100 mm	600 mm	350 mm	5,62 kg

H : Height
B : Width
L : Length
G : Weight

