


RA 110

Cable tray branch-piece, height=110 mm

Cable tray branch in T-shape, integrated connectors.

This article is available made in material No. 1.4571/1.4404 (V4A) stainless steel finish.



Continuously hot galvanized (Sendzimir process) (DIN EN 10346)

Product	H	B	L	G
RA 110-10S	110 mm	100 mm	214 mm	1,78 kg
Incl.:				
6x KLR		Clamp fastening set		
RA 110-20S	110 mm	200 mm	314 mm	2,18 kg
Incl.:				
6x KLR		Clamp fastening set		
RA 110-30S	110 mm	300 mm	414 mm	2,75 kg
Incl.:				
6x KLR		Clamp fastening set		
RA 110-40S	110 mm	400 mm	514 mm	3,48 kg
Incl.:				
6x KLR		Clamp fastening set		
RA 110-50S	110 mm	500 mm	614 mm	4,37 kg
Incl.:				
6x KLR		Clamp fastening set		
RA 110-60S	110 mm	600 mm	714 mm	5,42 kg
Incl.:				
6x KLR		Clamp fastening set		

Hot-dip galvanized, according to BS 729 (DIN EN ISO 1461)





Product	H	B	L	G
RA 110-10F	110 mm	100 mm	214 mm	1,99 kg
Incl.:				
6x KLR E		Clamp fastening set		
RA 110-20F	110 mm	200 mm	314 mm	2,44 kg
Incl.:				
6x KLR E		Clamp fastening set		
RA 110-30F	110 mm	300 mm	414 mm	3,08 kg
Incl.:				
6x KLR E		Clamp fastening set		
RA 110-40F	110 mm	400 mm	514 mm	3,90 kg
Incl.:				
6x KLR E		Clamp fastening set		
RA 110-50F	110 mm	500 mm	614 mm	4,89 kg
Incl.:				
6x KLR E		Clamp fastening set		
RA 110-60F	110 mm	600 mm	714 mm	6,07 kg
Incl.:				
6x KLR E		Clamp fastening set		

Stainless steel, according to ASTM 304 / BS 304 S 3

Product	H	B	L	G
RA 110-10E	110 mm	100 mm	214 mm	1,78 kg
Incl.:				
6x KLR E		Clamp fastening set		
RA 110-20E	110 mm	200 mm	314 mm	2,18 kg
Incl.:				
6x KLR E		Clamp fastening set		
RA 110-30E	110 mm	300 mm	414 mm	2,75 kg
Incl.:				
6x KLR E		Clamp fastening set		
RA 110-40E	110 mm	400 mm	514 mm	3,48 kg
Incl.:				
6x KLR E		Clamp fastening set		
RA 110-50E	110 mm	500 mm	614 mm	4,37 kg
Incl.:				
6x KLR E		Clamp fastening set		






Product	H	B	L	G
RA 110-60E	110 mm	600 mm	714 mm	5,42 kg
Incl.:				
6x KLR E	Clamp fastening set			

H : Height
B : Width
L : Length
G : Weight

DETAILS / APPLICATIONS



OPTIONAL ACCESSORIES

VB



Certyfikat UL

