


## VB-BS

Connection plate Maintenance of function - Standard support structures



The products can be used for fire protection. For technical parameters, see National Technical Test Certificates (abPs).



Continuously hot galvanized (Sendzimir process) (DIN EN 10346)

Product	B	L	G
VB-BS 05S	50 mm	99 mm	0,05 kg
Incl.: 1x KLR		Fixing set	
VB-BS 10S	100 mm	99 mm	0,10 kg
Incl.: 1x KLR		Fixing set	
VB-BS 15S	150 mm	99 mm	0,15 kg
Incl.: 1x KLR		Fixing set	
VB-BS 20S	200 mm	99 mm	0,21 kg
Incl.: 2x KLR		Fixing set	
VB-BS 30S	300 mm	99 mm	0,31 kg
Incl.: 2x KLR		Fixing set	
VB-BS 40S	400 mm	99 mm	0,41 kg
Incl.: 3x KLR		Fixing set	
VB-BS 50S	500 mm	99 mm	0,51 kg
Incl.: 3x KLR		Fixing set	
VB-BS 60S	600 mm	99 mm	0,61 kg
Incl.: 3x KLR		Fixing set	





Hot-dip galvanized, according to BS 729 (DIN EN ISO 1461)

Product	B	L	G
VB-BS 05F	50 mm	99 mm	0,05 kg
Incl.: 1x KLR E		Fixing set	
VB-BS 10F	100 mm	99 mm	0,10 kg
Incl.: 1x KLR E		Fixing set	
VB-BS 15F	150 mm	99 mm	0,16 kg
Incl.: 1x KLR E		Fixing set	
VB-BS 20F	200 mm	99 mm	0,23 kg
Incl.: 2x KLR E		Fixing set	
VB-BS 30F	300 mm	99 mm	0,33 kg
Incl.: 2x KLR E		Fixing set	
VB-BS 40F	400 mm	99 mm	0,43 kg
Incl.: 3x KLR E		Fixing set	
VB-BS 50F	500 mm	99 mm	0,53 kg
Incl.: 3x KLR E		Fixing set	
VB-BS 60F	600 mm	99 mm	0,63 kg
Incl.: 3x KLR E		Fixing set	

Stainless steel, material no. 1.4571 (ANSI 316 Ti) / 1.4404 (ANSI 316 L)

Product	B	L	G
VB-BS 05E4	50 mm	99 mm	0,05 kg
Incl.: 1x KLR E4		Fixing set	
VB-BS 10E4	100 mm	99 mm	0,10 kg
Incl.: 1x KLR E4		Fixing set	





Product	B	L	G
VB-BS 15E4	150 mm	99 mm	0,15 kg
Incl.: 1x KLR E4		Fixing set	
VB-BS 20E4	200 mm	99 mm	0,21 kg
Incl.: 2x KLR E4		Fixing set	
VB-BS 30E4	300 mm	99 mm	0,31 kg
Incl.: 2x KLR E4		Fixing set	
VB-BS 40E4	400 mm	99 mm	0,41 kg
Incl.: 3x KLR E4		Fixing set	
VB-BS 50E4	500 mm	99 mm	0,51 kg
Incl.: 3x KLR E4		Fixing set	
VB-BS 60E4	600 mm	99 mm	0,61 kg
Incl.: 3x KLR E4		Fixing set	

**B** : Width  
**L** : Length  
**G** : Weight



System E 90. CNBOP-PIB-KOT

