


## RA 60

Cable tray branch-piece, height=60 mm

Cable tray branch in T-shape, integrated connectors.

This article is available made in material No. 1.4571/1.4404 (V4A) stainless steel finish.



Continuously hot galvanized (Sendzimir process) (DIN EN 10346)

| Product   | H     | B                   | L      | G       |
|-----------|-------|---------------------|--------|---------|
| RA 60-05S | 60 mm | 50 mm               | 114 mm | 0,90 kg |
| Incl.:    |       |                     |        |         |
| 3x KLR    |       | Clamp fastening set |        |         |
| RA 60-10S | 60 mm | 100 mm              | 214 mm | 1,04 kg |
| Incl.:    |       |                     |        |         |
| 3x KLR    |       | Clamp fastening set |        |         |
| RA 60-20S | 60 mm | 200 mm              | 314 mm | 1,45 kg |
| Incl.:    |       |                     |        |         |
| 3x KLR    |       | Clamp fastening set |        |         |
| RA 60-30S | 60 mm | 300 mm              | 414 mm | 2,02 kg |
| Incl.:    |       |                     |        |         |
| 3x KLR    |       | Clamp fastening set |        |         |
| RA 60-40S | 60 mm | 400 mm              | 514 mm | 2,75 kg |
| Incl.:    |       |                     |        |         |
| 3x KLR    |       | Clamp fastening set |        |         |
| RA 60-50S | 60 mm | 500 mm              | 614 mm | 3,64 kg |
| Incl.:    |       |                     |        |         |
| 3x KLR    |       | Clamp fastening set |        |         |
| RA 60-60S | 60 mm | 600 mm              | 714 mm | 4,64 kg |
| Incl.:    |       |                     |        |         |
| 3x KLR    |       | Clamp fastening set |        |         |



## Hot-dip galvanized, according to BS 729 (DIN EN ISO 1461)

| Product            | H     | B                   | L      | G       |
|--------------------|-------|---------------------|--------|---------|
| RA 60-05F          | 60 mm | 50 mm               | 114 mm | 1,01 kg |
| Incl.:<br>3x KLR E |       | Clamp fastening set |        |         |
| RA 60-10F          | 60 mm | 100 mm              | 214 mm | 1,16 kg |
| Incl.:<br>3x KLR E |       | Clamp fastening set |        |         |
| RA 60-20F          | 60 mm | 200 mm              | 314 mm | 1,62 kg |
| Incl.:<br>3x KLR E |       | Clamp fastening set |        |         |
| RA 60-30F          | 60 mm | 300 mm              | 414 mm | 2,26 kg |
| Incl.:<br>3x KLR E |       | Clamp fastening set |        |         |
| RA 60-40F          | 60 mm | 400 mm              | 514 mm | 3,08 kg |
| Incl.:<br>3x KLR E |       | Clamp fastening set |        |         |
| RA 60-50F          | 60 mm | 500 mm              | 614 mm | 4,08 kg |
| Incl.:<br>3x KLR E |       | Clamp fastening set |        |         |
| RA 60-60F          | 60 mm | 600 mm              | 714 mm | 5,24 kg |
| Incl.:<br>3x KLR E |       | Clamp fastening set |        |         |

## Stainless steel, according to ASTM 304 / BS 304 S 3

| Product            | H     | B                   | L      | G       |
|--------------------|-------|---------------------|--------|---------|
| RA 60-05E          | 60 mm | 50 mm               | 114 mm | 0,90 kg |
| Incl.:<br>3x KLR E |       | Clamp fastening set |        |         |
| RA 60-10E          | 60 mm | 100 mm              | 214 mm | 1,04 kg |
| Incl.:<br>3x KLR E |       | Clamp fastening set |        |         |
| RA 60-20E          | 60 mm | 200 mm              | 314 mm | 1,45 kg |
| Incl.:<br>3x KLR E |       | Clamp fastening set |        |         |



