

RVB 60

Cable tray vertical bend, height=60 mm

Cable tray vertical bend for flexible vertical change of direction.

This article is available made in material No. 1.4571/1.4404 (V4A) stainless steel finish.



Continuously hot galvanized (Sendzimir process) (DIN EN 10346)

Product	H	B	R	G
RVB 60-05S	60 mm	50 mm	300 mm	1,94 kg
Incl.: 2x KLR		Clamp fastening set		
RVB 60-10S	60 mm	100 mm	300 mm	2,08 kg
Incl.: 2x KLR		Clamp fastening set		
RVB 60-20S	60 mm	200 mm	300 mm	2,35 kg
Incl.: 2x KLR		Clamp fastening set		
RVB 60-30S	60 mm	300 mm	300 mm	2,62 kg
Incl.: 2x KLR		Clamp fastening set		
RVB 60-40S	60 mm	400 mm	300 mm	2,89 kg
Incl.: 2x KLR		Clamp fastening set		
RVB 60-50S	60 mm	500 mm	300 mm	3,16 kg
Incl.: 2x KLR		Clamp fastening set		
RVB 60-60S	60 mm	600 mm	300 mm	3,44 kg
Incl.: 2x KLR		Clamp fastening set		





Hot-dip galvanized, according to BS 729 (DIN EN ISO 1461)

Product	H	B	R	G
RVB 60-05F	60 mm	50 mm	300 mm	2,17 kg
Incl.: 2x KLR E		Clamp fastening set		
RVB 60-10F	60 mm	100 mm	300 mm	2,32 kg
Incl.: 2x KLR E		Clamp fastening set		
RVB 60-20F	60 mm	200 mm	300 mm	2,63 kg
Incl.: 2x KLR E		Clamp fastening set		
RVB 60-30F	60 mm	300 mm	300 mm	2,93 kg
Incl.: 2x KLR E		Clamp fastening set		
RVB 60-40F	60 mm	400 mm	300 mm	3,24 kg
Incl.: 2x KLR E		Clamp fastening set		
RVB 60-50F	60 mm	500 mm	300 mm	3,54 kg
Incl.: 2x KLR E		Clamp fastening set		
RVB 60-60F	60 mm	600 mm	300 mm	3,85 kg
Incl.: 2x KLR E		Clamp fastening set		

Stainless steel, according to ASTM 304 / BS 304 S 3

Product	H	B	R	G
RVB 60-05E	60 mm	50 mm	300 mm	1,94 kg
Incl.: 2x KLR E		Clamp fastening set		
RVB 60-10E	60 mm	100 mm	300 mm	2,08 kg
Incl.: 2x KLR E		Clamp fastening set		
RVB 60-20E	60 mm	200 mm	300 mm	2,35 kg
Incl.: 2x KLR E		Clamp fastening set		
RVB 60-30E	60 mm	300 mm	300 mm	2,62 kg
Incl.: 2x KLR E		Clamp fastening set		



Product	H	B	R	G
RVB 60-40E	60 mm	400 mm	300 mm	2,89 kg


Incl.:				
2x KLR E	Clamp fastening set			
RVB 60-50E	60 mm	500 mm	300 mm	3,16 kg

Incl.:				
2x KLR E	Clamp fastening set			
RVB 60-60E	60 mm	600 mm	300 mm	3,44 kg

Incl.:				
2x KLR E	Clamp fastening set			

H : Height
B : Width
R : Radius
G : Weight

DETAILS / APPLICATIONS



OPTIONAL ACCESSORIES

REB



UL classified

